

Land Information Ontario Data Description

OHN - Waterbody

Disclaimer

This technical documentation has been prepared by the Ministry of Natural Resources (the “Ministry”), representing Her Majesty the Queen in right of Ontario. Although every effort has been made to verify the information, this document is presented as is, and the Ministry makes no guarantees, representations or warranties with respect to the information contained within this document, either express or implied, arising by law or otherwise, including but not limited to, effectiveness, completeness, accuracy, or fitness for purpose. The Ministry is not liable or responsible for any loss or harm of any kind arising from use of this information.

For an accessible version of this document, please contact Land Information Ontario at (705) 755 1878 or lio@ontario.ca

LIO Class Description

OHN - Waterbody

Class Short Name: OHNWBDY

Version Number: 1

Class Description:

Waterbodies are polygon features (natural and constructed) that describe various realizations of surface water at a medium scale of 1:10K in Southern Ontario, 1:20K in Northern Ontario and 1:50K in the Far North.

Abstract Class Name: SPSNTPOLY

Abstract Class

Description:

Abstract Spatial Single-Non-Tessellating-Polygon User Object. One and only one polygon forms a single object. Polygons may NOT overlap. However, holes, gaps and islands are allowed.

Examples of this are sub classes that may fall under this class are lakes wetlands, ANSIs, etc.

Metadata URL:

Tables in LIO Class:
OHN - Waterbody

OHN_WATERBODY_FT

Waterbodies are polygon features (natural and constructed) that describe various realizations of surface water.

Column Name	Column Type	Mandatory	Short Name	Valid Values
OGF_ID	NUMBER(13,0)	Yes	OGF_ID	
Ontario Geospatial Feature (OGF) Id. A unique numeric provincial identifier assigned to each object.				
WATERBODY_TYPE	VARCHAR2(20)	Yes	WBDY_TYPE	'Beaver Pond', 'Canal', 'Kettle Lake', 'Lake', 'Ocean', 'Pond', ... (See OHN_WATERBODY_TYPE_LIST table)
The nature of a body of water defined according to its water velocity and usage. Default = Lake				
OFFICIAL_NAME_LABEL	VARCHAR2(100)	No	OFF_NAME	
This field is a concatenation of the Geographic Name Extent Fields OFFICIAL NAME and ALTERNATE NAME.				
GEL_NAME_IDENT	VARCHAR2(32)	No	GEL_IDENT	
A unique, 32 length, alpha-numeric identifier used to distinguish an object.				
PERMANENCY	VARCHAR2(20)	Yes	PERMANENCY	'Permanent', 'Intermittent
An indication of the permanency of a water feature described as 1) Permanent: Permanent water features are known to exist for at least 9 months a year. 2) Intermittent: Intermittent water features are known to exist for less than 9 months a year. Default = Permanent				
LOCATION_ACCURACY	VARCHAR2(25)	Yes	ACCURACY	'Not Applicable', 'Over 10,000 metres', 'Within 1 metre', 'Within 10 metres', 'Within 10,000 metres', 'Within 100 metres', ... (See LOCATION_ACCURACY_LIST table)
The accuracy of the location of the feature at an OBM scale. The degree of conformity or closeness of a measurement to the true value.				
VERIFICATION_STATUS_FLG	VARCHAR2(10)	No	VERISTT_FL	'Verified', 'Unverified
An indication as to whether a qualified employee has verified the existence of the geographic unit.				
VERIFICATION_STATUS_DATE	DATE	No	VERISTT_DT	
Date that the geographic unit was verified/validated.				
GENERAL_COMMENTS	VARCHAR2(2000)	No	COMMENTS	
General comments.				
SYSTEM_CALCULATED_AREA	NUMBER(16,3)	No	SYS_AREA	
The area of a polygon measured in square metres.				
SYSTEM_CALCULATED_PERIMETER	NUMBER(16,3)	No	SYS_PERIM	
The perimeter of a polygon measured in metres.				

GEOMETRY_UPDATE_DATETIME DATE No GEO_UPD_DT
Date/time the geometry was created or last modified in the source database.

EFFECTIVE_DATETIME DATE Yes EFF_DATE
Date/time the record was created or last modified in the source database.

SHAPE SDO_GEOMETRY No SHAPE

CLASS_JUSTIFICATION

The justification for the addition of or changes to a geographic feature.

Column Name	Column Type	Mandatory	Short Name	Valid Values
OGF_ID	NUMBER (13,0)	Yes	OGF_ID	

A unique numeric provincial identifier assigned to each object.

JUSTIFICATION_REASON	VARCHAR2 (2000)	Yes	REASON	
-----------------------------	--------------------	-----	--------	--

Reason for justification of the existence of a geographic feature.

CLASS_SHORT_NAME	VARCHAR2 (8)	Yes	CLASS_NAME	
-------------------------	-----------------	-----	------------	--

System-generated column denoting the data class which this record is part of.

JUSTIFICATION_DATE	DATE	Yes	JUSTIF_DT	
---------------------------	------	-----	-----------	--

Date that the geographic feature was justified.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE	
---------------------------	------	-----	----------	--

Date/time the record was created or last modified in the source database.

CLASS_SOURCE

Intersection table between the data class and Source List table.

Column Name	Column Type	Mandatory	Short Name	Valid Values
OGF_ID	NUMBER (13,0)	Yes	OGF_ID	

A unique numeric provincial identifier assigned to each object.

SOURCE_NAME	VARCHAR2 (100)	Yes	SOURCE_NAM	'AFFM Provincial Administrative Maps', 'Aerial Photography', 'Aerial Survey', 'Book/Publication', 'CIR Photography', 'City of Ottawa Borehole Database', ... (See SOURCE_LIST table)
--------------------	-------------------	-----	------------	---

The name of the source.

SOURCE_DETAIL	VARCHAR2 (254)	Yes	SOURCE_DET	
----------------------	-------------------	-----	------------	--

What part of the source pertains to the feature. Examples: Summary data from a data base, pages in a book or atlas, figure number and page from a publication, a section of a map, record in

a database.

CLASS_SHORT_NAME	VARCHAR2 (8)	Yes	CLASS_NAME
-------------------------	-----------------	-----	------------

Unique abbreviation of the concrete class name (primary key)

SOURCE_DESCR	VARCHAR2 (2000)	No	SOURCE_DES
---------------------	--------------------	----	------------

Text providing details about the source.

METHOD_DESCR	VARCHAR2 (2000)	No	METHOD
---------------------	--------------------	----	--------

The type of method, tools, and techniques used in observing/collecting/recording the Source. It may also include a URL where users could get further information on the method used.

SOURCE_APPLICABILITY	VARCHAR2 (20)	No	APPLICABIL
-----------------------------	------------------	----	------------

How the source contributes to the feature's definition.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

LOCATION_ACCURACY_LIST

List of valid location accuracies associated to a mapped feature.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

OHN_WATERBODY_TYPE_LIST

List of valid OHN WATERBODY_TYPES.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

WATERBODY_TYPE	VARCHAR2 (20)	Yes	WBDY_TYPE
-----------------------	------------------	-----	-----------

The nature of a body of water defined according to its water velocity and usage.

DESCRIPTION	VARCHAR2 (254)	No	TYPE_DESCR
--------------------	-------------------	----	------------

Describes the Waterbody Type

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

EXPIRY_DATETIME	DATE	No	EXP_DATE
------------------------	------	----	----------

Date/time that the record was expired from use.

SOURCE_LIST

A description of the source information that is the basis for creating or changing information about a geographic feature. It may be an observation, possibly resulting from a field survey or an adhoc report or a reference to a published or unpublished document.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

SOURCE_NAME	VARCHAR2 (100)	Yes	NAME
--------------------	-------------------	-----	------

The name of the source.

SOURCE_DATE	VARCHAR2 (50)	No	SRC_DATE
--------------------	------------------	----	----------

The date of the source.

SOURCE_ORIGINATOR	VARCHAR2 (75)	No	ORIGINATOR
--------------------------	------------------	----	------------

The originator or author of the source. Includes the author(s) of a book; the originator(s) of a survey or project, etc. Examples: Smith, J. Smith, J. and Jones, K. Smith, J., Jones, K. and White, T. Anon. (where no author identified) OMNR (where authorship is corporate) Northwest District (lead and delivered the data collection project)

SOURCE_SCALE	VARCHAR2 (15)	No	SCALE
---------------------	------------------	----	-------

The scale of the vector base or aerial photography, the cell resolution of a grid, or the pixel resolution of an image used to record the location of the feature. Examples: For a vector source or aerial photography: 1:10,000 1:20,000 1:250,000. For a grid or imagery source: 1 km, 10 m, 15 seconds.

HORIZONTAL_DATUM	VARCHAR2 (10)	No	H_DATUM
-------------------------	------------------	----	---------

Identifies the reference system used for defining the coordinates of points. There are three common horizontal datum systems used in Ontario: NAD83, NAD27, NAD27 with 1974 adjustment. The datum models the shape of the earth.

VERTICAL_DATUM	VARCHAR2 (30)	No	V_DATUM
-----------------------	------------------	----	---------

The zero surface to which elevations or heights are referred is called a vertical datum. Traditionally, surveyors and mapmakers have tried to simplify the task by using the average (or mean) sea level as the definition of zero elevation, because the sea surface is available worldwide. MSL is a close approximation to another surface, defined by gravity, called the geoid, which is the true zero surface for measuring elevations. Example: WGS-84 EGM96 Geoid.

SOURCE_PROJECTION	VARCHAR2 (40)	No	PROJECTION
--------------------------	------------------	----	------------

The name of a systematic representation of all or part of the surface of the Earth on a plane or developable surface.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

EXPIRY_DATETIME	DATE	No	EXP_DATE
------------------------	------	----	----------

Date/time that the record was expired from use.

**LIO Lookup Table Values:
LOCATION_ACCURACY_LIST**

LOCATION ACCURACY	EXPIRY DATETIME
Not Applicable	
Over 10,000 metres	
Within 1 metre	
Within 10 metres	
Within 10,000 metres	
Within 100 metres	
Within 1000 metres	
Within 2 metres	
Within 20 metres	
Within 200 metres	
Within 2000 metres	
Within 5 metres	
Within 50 metres	
Within 500 metres	
Within 5000 metres	
AC Accurate (to 10m)	2007-01-12
AP Approximate (to 500m)	2007-01-12
GE General (to 10,000m)	2007-01-12
MO Moderate (to 1000m)	2007-01-12
RE Reliable (to 100m)	2007-01-12
VA Very Accurate (to 2m)	2007-01-12
VG Vague (to 100,000m)	2007-01-12
^ Data Load	2007-01-12

LIO Lookup Table Values:
OHN_WATERBODY_TYPE_LIST

WATERBODY TYPE	DESCRIPTION	EXPIRY DATETIME
Beaver Pond	A pond that is created by a beaver dam.	
Canal	An artificial watercourse serving as a navigable waterway or to channel water.	
Kettle Lake	A shallow, sediment-filled lake formed by retreating glaciers or draining floodwaters.	
Lake	A natural, usually flat, open body of water, which excludes wetlands, islands, surface rocks or other hazards to waterflow and/or navigation.	
Ocean	A coastal waterbody (Hudson Bay and James Bay).	
Pond	A body of standing water, usually smaller than a lake. This feature type is used to differentiate non-lake features from lakes, including: irrigation ponds, reservoirs, flooded gravel pits and quarries.	
Reservoir	A wholly or partially human-made body of water for storing and/or regulating and controlling water.	
River	A natural body of water (such as a river, stream or creek) through which water may flow.	

LIO Lookup Table Values:

SOURCE_LIST

SOURCE NAME	SOURCE DATE	SOURCE ORIGINATOR	SOURCE SCALE	HORIZONTAL DATUM	VERTICAL DATUM	SOURCE PROJECTION	EXPIRY DATETIME
AFFM Provincial Administrative Maps		Ministry of Natural Resources	600000				
Aerial Photography		Ministry of Natural Resources	15840				
Aerial Survey							
Book/Publication							
CIR Photography		Ministry of Natural Resources					
City of Ottawa Borehole Database	1883 - 2006	City of Ottawa	Varies		Mean Average Sea Level	Geodetic and UTM	
Digital File							
Digital Map							
Field Survey\Site Visit							
File System/Filing Cabinet Information							
Forest Resources Inventory		Ministry of Natural Resources		NAD27		UTM	
GPS Data Collection							
Hard Copy/Paper Map							
IKONOS Multispectral		Ministry of Natural Resources					
IKONOS Panchromatic		Ministry of Natural Resources					
IRS Multispectral		Ministry of Natural Resources					
IRS Panchromatic		Ministry of Natural Resources					
IRS Pansharpened		Ministry of Natural Resources					

Landsat-1,2,3 MSS		Ministry of Natural Resources					
Landsat-4,5 MSS		Ministry of Natural Resources					
Landsat-7 ETM		Ministry of Natural Resources					
Local Borehole Drilling Program Results	2006	Ministry of Northern Development and Mines			Mean Average Sea Level		
Local Knowledge							
MNDM Assessment File							
MNDM Client/Company Information							
MNR Based Observation							
MTO Engineering Reports	Varies	Ministry of Transportation	Varies		Mean Average Sea Level		
NRCan - CanVec	2008	Natural Resources Canada	50000	NAD83			
NRCan - National Hydro Network	2008	Natural Resources Canada	50000	NAD83			
NTS Map 1:250000	1970 to 2003	Department of Natural Resources	250000	NAD27			
NTS Map 1:50000	1970 to 2003	Department of Natural Resources	50000	NAD27			
Ontario Base Map 1:10000	1978 to 1995	Ministry of Natural Resources	10000	NAD27		UTM	
Ontario Base Map 1:20000	1978 to 1995	Ministry of Natural Resources	20000	NAD27		UTM	
Ontario Geological Survey Fieldwork Mapping	Varies to 2004	Ontario Geological Survey	1:50,000	NAD83	Mean Average Sea Level	Universal Transvers Mercator	
Ontario Parcel				NAD83			
Orthoimagery		Ministry of Natural Resources					
Public Observation							

Quaternary Geology Study	Varies	Ministry of Northern Development and Mines			Mean Average Sea Level		
Unknown	11-12-02						
Urban Geology Automated Information System (UGAIS)	1956-1972	Geological Survey of Canada	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
Water Well Data Improvement Project	2006	Ministry of Natural Resources, Water Resources Information Program	Varies	NAD83	Mean Average Sea Level	Geodetic	
Water Well Information System (WWIS)	1899 - 2003	Ministry of the Environment, Environmental Monitoring and Reporting Branch	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
Waterloo Area Geology Automated Information System (WAGAIS)	1900 - 1977	Geological Survey of Canada	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
External Source from NRVIS 2							2007-01-12
Internal Source from NRVIS 2							2007-01-12
Material Source from NRVIS 2							2007-01-12
Ontario Base Map	1978 to 1995	Ministry of Natural Resources		NAD27		UTM	2007-01-12
Source Observation from NRVIS 2							2007-01-12
Unknown Imagery							2007-01-12

LIO Table Relationships for Class:

OHN - Waterbody

